



東誠塑膠

DONG CHENG PLASTIC

2016-2017

DIAO®



太仓东诚塑胶有限公司

TAICANG DONGCHENG PLASTIC CO.,LTD

电话: 0512-53456398

传真: 0512-53456399

联系人: 13809050006 (张先生)

邮箱: bruce@dc-plastic.cn

联系人: 13809050005 (刁先生)

邮箱: dfx@dc-plastic.cn

地址: 太仓市沙溪镇印溪南路1133号

邮编: 215421

Add: #1133 South Yinxi Road, Shaxi Town, Taicang, Jiangsu

Tel: 0512-53456398

Fax: 0512-53456399

Contact: 13809050006 (Bruce Zhang)

E-mail: bruce@dc-plastic.cn

Contact: 13809050005 (Forest Diao)

E-mail: dfx@dc-plastic.cn

URL: www.dc-plastic.cn

Postal code: 215421





Factory Profile

公司简介

太仓东诚塑胶有限公司位于江苏省太仓市沙溪镇，毗邻上海，距上海虹桥国际机场约40公里，距浦东国际机场约80公里。公司成立于2000年12月，是一家以各类塑胶模具设计、制造，塑胶产品设计、射出，后续加工、组装为主的企业。

公司现有12000m²厂房，拥有一流的技术开发人才，高素质的管理人员，以及先进的生产设备。公司目前拥有员工250人。工厂拥有注塑机33台（80T-1300T）、吹塑机3台以及完整的辅助设备与检测设备。模具生产车间拥有进口全电脑加工系统和先进的制模设备，以确保精密模具的研发、制作及维修保养。同时配备有印刷设备，可完成产品的丝印、网印及移印。2007年1月新增CNC精密五金加工车间，主要生产机械金属配件和汽车金属配件以及模具。

公司主要以生产运动器材及电子通讯塑胶配件为主，加工涵盖家电、电子、电动工具、机械配件、汽车配件等领域；2005年开始量产的模内贴产品亦为诸多客户广泛采用，同时多色注塑也是公司的强项技术。

一直以来，太仓东诚塑胶有限公司严格依照ISO9001:2000标准从进料、制程、出货等环节进行检验和控制，公司已通过由SGS认证机构主导之ISO9001:2000质量管理体系认证。本着“品质第一、以人为本、团结协作、持续改进”的经营理念，以“品质、效率、双赢”为企业宗旨，凭借人才技术、管理、研发的优势，愿与您携手共进，共创辉煌！

Taicang Dongcheng Plastic Co.,Ltd located in Shaxi Town,Taicang City,Jiangsu China,near Shanghai. Established in December 2000,Dongcheng Plastic is a factory with mold design and manufacture, plastic parts design and injection and follow-up processing and assemble.

With plant area of 12,000 square meters, Dongcheng Plastic owns first-class technology development group, high-quality management elites and advanced manufactures. Dongcheng Plastic has 250 staffs and 33 injection machines as well as 3 blowing machines, complete supplemental equipment and inspection machine. In order to make sure precision mold research and development, making and maintenance, Dongcheng Plastic purchased fully imported computer processing system and advanced making mold equipment. Dongcheng Plastic also purchased dust proof automatic coating system in March 2006, which is maintain temperature and humidity as high as 10,000 purification. Dongcheng Plastic also was equipped with printing machine to finish silk printing, screen printing and bat printing. In 2007,Dongcheng Plastic opened a CNC precision machining workshop to produce specialized machine parts and auto parts.

Dongcheng's main products are sports machine and electronic communication plastic accessories. Its processing range including household electrical appliance, electronic, electric tools, machine accessories and auto parts. In-mold labeling mass-produced in 2005 are also very popular and adopted by many customers, meanwhile, two-material injection technology is another Dongcheng strong competition spot.

Dongcheng Plastic implements ISO9001:2000 standard strictly from material in-coming, process control as well as shipping all the time. Dongcheng has passed ISO9001:2000 authentication lead by SGS certification. With quality first, people oriented, solidarity and cooperation continuous improvement management philosophy, with quality, efficiency and win-win enterprise goal, rely on personnel and technology, management and research advantages, Dongcheng Plastic would like to make progress with you to create bright future.



DONG CHENG
PLASTIC

CATALOGUE 目录



自行车手握系列
GRIPS



运动水壶系列
WATER BOTTLES



其他配套
SUPPORTING



DC-G01
120mm
kraton rubber or TPE



DC-G02
125mm
kraton rubber or TPE



DC-G03
120mm
kraton rubber or TPE



DC-G15
130mm
kraton rubber or TPE



DC-G16
130mm
kraton rubber or TPE



DC-G17
82&95&100&110mm
kraton rubber or TPE



JT-G6004
135mm
kraton rubber or TPE



JT-G6005
130mm
kraton rubber or TPE



DC-MC05
110mm
kraton rubber or TPE




DC-G18
135mm
kraton rubber or TPE



DC-G19
110mm
kraton rubber or TPE



JT-G6020
95&125mm
kraton rubber or TPE



DC-G06
85&92&125mm
kraton rubber or TPE



DC-G07
55&75&92&110&125mm
kraton rubber or TPE



DC-G08
85&92&115&125mm
kraton rubber or TPE



DC-G22
130mm
kraton rubber or TPE



DC-G23
72&92&102&125mm
kraton rubber or soft PVC



DC-G24
110mm
kraton rubber or soft PVC



JT-G6009
75&120mm
kraton rubber or TPE



DC-G10
120mm
kraton rubber or TPE



DC-G11
65&125mm
kraton rubber or TPE



JT-G6025
110&125mm
kraton rubber or TPE



JT-G6026
85mm
kraton rubber or TPE



DC-G27
130mm
kraton rubber or TPE



DC-G12
125mm
kraton rubber or TPE



DC-G13
125mm
kraton rubber or TPE



DC-G14
50-125mm
kraton rubber or TPE



DC-G28
125mm
kraton rubber or TPE



DC-G29
72&108mm
kraton rubber or TPE



DC-G30
105&125mm
kraton rubber or TPE



DC-G31
88mm
kraton rubber or TPE



JT-G6032
125mm
kraton rubber or TPE



DC-G33
125mm
kraton rubber or TPE



DC-G48
110&125mm
kraton rubber or TPE




JT-G6049
85mm
kraton rubber or TPE



DC-G50
85mm
kraton rubber or TPE



JT-G6034
125mm
kraton rubber or TPE




JT-G6035
130mm
kraton rubber or TPE



JT-G6036
125mm
kraton rubber or TPE



JT-G6051
85mm
kraton rubber or TPE



JT-G6052
85mm
kraton rubber or TPE



DC-G54
125mm
kraton rubber




JT-G6037
85mm
kraton rubber or TPE



DC-G38
100mm
kraton rubber or TPE



DC-G39
115mm
kraton rubber or TPE



DC-G55
125mm
kraton rubber or TPE



DC-G56
115mm
kraton rubber or TPE



DC-G57
118&138mm
kraton rubber or TPE



JT-G6040
125mm
kraton rubber or TPE



DC-G41
92&120mm
kraton rubber or TPE



DC-G42
110mm
kraton rubber or TPE



JT-G6058
95mm
kraton rubber or TPE



JT-G6059
130mm
kraton rubber or TPE



JT-G6060
85&115mm
kraton rubber or TPE



DC-G45
110mm
kraton rubber or soft PVC



DC-G46
110mm
kraton rubber or TPE



DC-G47
130mm
kraton rubber or TPE



JT-G6061
115mm
kraton rubber or TPE



DC-G62
105mm
kraton rubber or TPE



JT-G6063
92mm
kraton rubber or TPE



DC-G64
125mm
kraton rubber or TPE



DC-G65
102mm
kraton rubber or TPE



DC-G66
95mm
kraton rubber or TPE



DC-G79
85&125mm
kraton rubber or TPE



DC-G80
75&125mm
kraton rubber or TPE

DC-G81
92mm
kraton rubber or TPE



JT-G6067
92&125mm
kraton rubber or TPE



JT-G6068
125mm
kraton rubber or TPE




JT-G6069
125mm
kraton rubber or TPE



DC-G82
75&100&130mm
kraton rubber or TPE



DC-G83
92&130mm
kraton rubber or TPE



DC-G84
100&125mm
kraton rubber or TPE



JT-G6070
92mm
kraton rubber or TPE



DC-G71
95mm&115mm
kraton rubber or TPE



JT-G6072
125mm
kraton rubber or TPE



DC-G85
110mm
kraton rubber or TPE



DC-G86
110mm
kraton rubber or TPE



DC-G87
135mm
kraton rubber or TPE



JT-G6073
135mm
kraton rubber or TPE



JT-G6074
95mm
kraton rubber or TPE



DC-G75
85&130mm
kraton rubber or TPE



DC-G88
115mm
kraton rubber or TPE



DC-G89
100mm
kraton rubber or TPE



DC-G90
75mm
kraton rubber or TPE




DC-G76
110mm
kraton rubber or TPE



DC-G77
85&130mm
kraton rubber or TPE



DC-G78
85&140mm
kraton rubber or TPE



DC-G91
135mm
kraton rubber or TPE



DC-G92
60mm
kraton rubber or TPE



DC-G93
110mm
kraton rubber or TPE



DC-G94
115mm
kraton rubber or TPE



DC-G95
125mm
kraton rubber or TPE



DC-G96
85mm
kraton rubber or TPE



DC-G108
92&125mm
kraton rubber or TPE



DC-G109
110mm
kraton rubber or TPE



DC-G110
92&110&125mm
kraton rubber or TPE



DC-G97
115mm
kraton rubber or TPE



DC-G98
90 & 115mm
kraton rubber or TPE



DC-G99
120mm
kraton rubber or TPE



DC-G111
92&120mm
kraton rubber or TPE



DC-G111
135mm
kraton rubber or TPE



DC-G112
135mm
kraton rubber or TPE



DC-G100
85&105&120mm
kraton rubber or TPE



DC-G100-1
65&85mm
kraton rubber or TPE



DC-G101
125mm
kraton rubber or TPE



DC-G113
95mm
kraton rubber or TPE



DC-G114
92&110&125mm
kraton rubber or TPE



DC-G115
92&125mm
kraton rubber or TPE



DC-G102
110 & 135mm
kraton rubber or TPE



DC-G103
102mm
kraton rubber or TPE



DC-G104
72&130mm
kraton rubber or TPE



DC-G116
130mm
kraton rubber or TPE



DC-G117
85&92mm
TPE or soft PVC



DC-G118
130mm
kraton rubber or TPE



DC-G105
63&85mm
kraton rubber or TPE



DC-G106
85&102&125mm
kraton rubber or TPE



DC-G107
92&135mm
kraton rubber or TPE



DC-G119
130mm
kraton rubber or TPE&PP



DC-G120
92&120mm
kraton rubber or TPE




DC-G121
90mm
kraton rubber or TPE



DC-G122
125mm
kraton rubber or TPE



DC-G123
127mm
kraton rubber or TPE




DC-G124
120mm
kraton rubber or TPE




DC-G141
70&92&125mm
kraton rubber or TPE



DC-G142
92&135mm
rubber or TPE



DC-G143
125mm
rubber or TPE



DC-G125
120mm
kraton rubber or TPE



DC-G126
95&115mm
kraton rubber or TPE



DC-G127
135mm
kraton rubber or TPE&PP



DC-G144
92 & 125mm
Foam



DC-G145
350mm
Foam



DC-G147
135mm
kraton rubber or TPE&PP



JT-G6128
125mm
kraton rubber or TPE



DC-G129
130mm
kraton rubber or TPE



JT-G6130
110mm
kraton rubber or TPE



DC-G153
108mm
Foam



DC-G156
130mm
rubber or TPE



DC-G157
130mm
rubber or TPE



DC-G132
130mm
kraton rubber or TPE



DC-G133
92&125mm
kraton rubber or TPE



DC-G134
125mm
kraton rubber or TPE&PP



DC-G158
125mm
soft rubber or TPE



DC-G159
110mm
PVC or TPE



DC-G160
122mm
rubber or TPE



DC-G134-2
125mm
kraton rubber or TPE&PP



DC-G135
145mm
kraton rubber or TPE




DC-G136
125mm
kraton rubber or TPE



DC-G161
135mm
rubber or TPE



DC-G162
92&130mm
rubber or TPE



DC-G163
175mm
rubber or TPE



DC-G164
145mm
soft rubber or TPE



DC-G165
130mm
kraton rubber or TPE & PP



DC-G166
130mm
kraton rubber or TPE & PP



DC-G181
123mm
rubber or TPE



DC-G183
130mm
soft rubber or TPE



DC-G184
125 & 145mm
Wear-resistant soft rubber



DC-G167
130mm
kraton rubber or TPE & PP



JT-G6167
130mm
rubber or TPE



DC-G168
130mm
kraton rubber or TPE & PP



DC-G185
133mm
Wear-resistant soft rubber



DC-G186
95 & 105 & 115 & 125 & 135mm
kraton rubber or TPE & PP



JT-G6187
110mm
rubber or TPE



DC-G170
125mm
soft rubber or TPE



DC-G172
145mm
soft rubber or TPE



JT-G6173
110 & 140mm
kraton rubber or TPE



JT-G6187-1
130mm
rubber or TPE



DC-G188
170mm
Wear-resistant soft rubber



DC-G6188
130mm
rubber or TPE



DC-G175
130mm
Wear-resistant soft rubber



DC-G176
135mm
rubber or TPE



JT-G6177
110mm
kraton rubber or TPE



DC-G189
170mm
Wear-resistant soft rubber



JT-G6189
120mm
rubber or TPE



JT-G6190
100mm
rubber or TPE



JT-G6178
90 & 130mm
kraton rubber or TPE



JT-G6178
140mm
kraton rubber or TPE



DC-G180
130mm
rubber or TPE



DC-G191
150mm
rubber or TPE



DC-G193
140mm
rubber or TPE



DC-G194
140mm
soft rubber or TPE



DC-G195
125mm
soft rubber or TPE



DC-G196
140mm
kraton rubber or TPE&PP



DC-G197
135mm
soft rubber or TPE



DC-G207
125mm
rubber or TPE



JT-G6207
130mm
rubber or TPE&PP



DC-G208
110mm
rubber or TPE



DC-G198
125mm
soft rubber or TPE



DC-G199
120mm
soft rubber or TPE



DC-G200
160mm
soft rubber or TPE



JT-G6208
80mm
rubber or TPE



JT-G6209
95mm
rubber or TPE



JT-G6210
130mm
rubber or TPE



JT-G6200
140mm
rubber or TPE



JT-G6201
125mm
rubber or TPE



DC-G202
92mm
soft rubber or TPE



JT-G6212
130mm
rubber or TPE



JT-G6213
125mm
rubber or TPE



JT-G6214
125mm
rubber or TPE



JT-G6202
72mm
rubber or TPE




JT-G6203
130mm
rubber or TPE



JT-G6204
130mm
rubber or TPE



JT-G6215
135mm
rubber or TPE



DC-G215
154mm
kraton rubber or TPE&PP



DC-G216
143mm
kraton rubber or TPE&PP



DC-G6205
125mm
rubber or TPE



DC-G206
160mm
rubber or TPE



JT-G6206
130mm
rubber or TPE&PP



JT-G6216
92mm
rubber or TPE



JT-G6217
130mm
rubber or TPE & PP



DC-G220
140mm
soft rubber or TPE